



I am a dialysis patient:

□ Hemodialysis: □ Hemodialysis: □ Peritoneal Dialysis: In-centre Home Home

For emergency responders:

- 1. Caution dialysis access.
- 2. Check electrolytes and/or ECG for hyperkalemia.
- 3. Give calcium or sodium polystyrene sulphonate (Calcium Resonium or Kayexelate) if hyperkalemia.
- ★ Patient must be prioritized for transportation.

Emergency Instructions for Dialysis Patients



- If safe, wait at home. The dialysis unit will try to contact you.
- Listen for instructions on radio or TV.
- If you have no contact from the dialysis unit then go to the nearest shelter, emergency reception centre or the Emergency Department.
 Tell them you need dialysis.

Begin Emergency Diet:

- 1. Restrict fluids to 2 cups a day or less.
- 2. No salt, salty foods or salt substitutes.
- 3. No high potassium foods: potato, tomato, orange, banana, melon, dried fruit, legumes, vegetables.
- 4. Restrict lower potassium foods: apple, applesauce, grapes, berries, canned peaches, pears or pineapple to 4 servings a day (serving is $\frac{1}{2}$ cup).

- 5. Restrict protein foods: meat, fish, poultry, egg or peanut butter to 3 ounces (90 grams) a day or $\frac{1}{2}$ your usual intake.
- 6. Restrict milk or yogurt to ½ cup a day (evaporated milk ¼ cup). Use Rice Dream[®] if available. Count milk or Rice Dream[®] as part of your fluid restriction.
- 7. Use unsalted crackers, cookies, rice, noodles, cereal, roti or bread to add calories.
- 8. Use jam, jelly, honey, sugar, candies, margarine, butter or oil freely to add calories.
- If you have diabetes: keep instant glucose tablets, sugar, jam, candies, low potassium fruit juices or sugared pop on hand to treat low blood glucose.



This diet is not a substitute for dialysis. Be prepared:

- Have an emergency pack filled with food and supplies on hand.
- Keep at least 3 days worth of your medications on hand.

Patient Contact Info	rmation	
Name:		
PHN:		
Address:		
Tel:		
Emergency Contact Name:		
Tel:	Email:	
Out of Province Contact Name: _		
Tel:	_ Email:	