

Save the Vein Quiz

- 1) Mr. Sidhu's chart indicates that he has an eGFR of 65. What stage of CKD does Mr. Sidhu have?
- a. Stage 3
 - b. Stage 2
 - c. Stage 1
 - d. Stage 4
 - e. Stage 5

Stage	Renal Function	eGFR* (mL/min/1.73 m ²)
1	Kidney damage with normal renal function	≥90
2	Kidney damage with mild renal dysfunction	60-89
3	Moderate renal dysfunction	30-59
4	Severe renal dysfunction	15-29
5	End-stage renal disease	<15

- 2) Mrs. Lee has an eGFR of 27. She is part of the Save the Veins target group.
- a. True
 - b. False

Stage	Renal Function	eGFR* (mL/min/1.73 m ²)
1	Kidney damage with normal renal function	≥90
2	Kidney damage with mild renal dysfunction	60-89
3	Moderate renal dysfunction	30-59
4	Severe renal dysfunction	15-29
5	End-stage renal disease	<15

- 3) A client with an eGFR of less than 60 for three months or more is considered to have chronic kidney disease.
 - a- True
 - b- False

- 4) Which of the following clients does NOT fall under the target group for Save the Veins?
 - a. Pre-dialysis client with an eGFR of 64.
 - b. A client on dialysis.
 - c. Pre-dialysis client with an eGFR of 27.
 - d. A client with a functioning kidney transplant

- 5) The best site choice for starting an IV on a client with a fistula in place is:
 - a. Back of the hand of the dominant arm.
 - b. Interior jugular vein.
 - c. Back of the hand of the arm without the fistula in place.
 - d. Back of the hand of the non-dominant arm

- 6) The best site choice for venipuncture on a client who has been recently diagnosed with CKD is:
 - a. Back of the non-dominant hand.
 - b. Femoral vein.
 - c. Back of the dominant hand.
 - d. Internal jugular vein.

- 7) A PICC line has been ordered for your client. You notice that the client's file indicates they have recently been diagnosed with stage 4 CKD. You should...
- a. Consult the attending physician and suggest an alternative to the PICC line due to the client's stage 4 CKD.
 - b. Consult the client about their condition and refuse to insert the PICC line.
 - c. Follow the order as it is prescribed and insert the PICC line.
 - d. Send the client to the pre-dialysis clinic.
- 8) You have been requested to insert a central venous catheter for your client as he needs urgent dialysis and does not have a fistula or graft in place. Which site would you choose to insert the catheter?
- a. Carotid artery.
 - b. Internal jugular vein.
 - c. External jugular vein.
 - d. Femoral artery.
 - e. Back of the hand on the arm without the access.
- 9) All clients who are on dialysis or have an eGFR of less than 30 should wear a Save the Veins bracelet.
- a. True
 - b. False
- 10) Which of the following clients should NOT receive a Save the Veins bracelet?
- a. A client on dialysis.
 - b. A pre-dialysis client with an eGFR of 38.
 - c. A client with an eGFR of 15.
 - d. A client with a fistula or graft in place.

11) A client who is pre-dialysis (no access in place) has an eGFR of 23. They need a Save the Veins bracelet. On which arm should the patient wear the bracelet? Select the best answer.

- a. Non-dominant arm
- b. Dominant Arm

12) A client with a fistula in place needs a Save the Veins bracelet. On which arm should the patient wear the bracelet? Select the best answer.

- a. Non-dominant arm.
- b. Dominant arm.
- c. Arm without the access in place.

Updated June 2016

Answers:

1 – B

2 – True

3 – True

4 – A

5 – C

6 – C

7 – A

8 – B

9 – True

10 – B

11 – B

12 – C